APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office	DEC 2 7 1977
Returned to applicant for correction	
Map filed	
Clamanca Sar	muol Caogan
	nuel Caesar
3238 Lark Circle Street and No. or P.O. Box No.	of Las Vegas City or Town
Nev. 89121 State and Zip Code No.	, hereby make application for permission to appropriate the public
	er stated. (If applicant is a corporation, give date and place of incorpora-
tion; if a copartnership or association, give r	names of members.)
1. The source of the proposed appropriate	ion is Underground Name of stream, lake or other source.
	······································
2. The amount of water applied for is	Needed for 150+ ac or 2.7+ second-feet One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of	of acre-feet unknown acre-feet
3. The water to be used for	
4. If use is for:	Irrigation, power, mining, manufacturing, domestic, or other use.
	be irrigated)
(b) Stockwater (state number and kind	s of animals to be watered)
(c) Other use (describe fully under "N	No. 12. Remarks")
(d) Power:	
(1) Horsepower developed	······································
	eam
5. The water is to be diverted from its so	ource at the following point: NE & SW Sec. 21, T.22S., R.55E.
M.D.D. O.M. Classic Co. Nov.	ion of public survey, and by course and distance to a section corner. If on unsurveyed land,
Describe as being within a 40-acre subdivisi	ion of public survey, and by course and distance to a section corner. If on unsurveyed land,
it should be stated. SW14, Sec. 21,	T.22S., R.55E., M.D.B. & M., Clark Co. Nev.
b. Place of use	scribe by legal subdivision, if on unsurveyed land it should be so stated.
7. Use will begin about.	December 31 , of each year.
	er the provisions of NRS 535.010 you may be required to submit plans and
	rage works.) well - pipes - ditches
	d, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.
er	

10.	Estimated cost of works \$1,000.00		
	Estimated time required to construct works		
11.	Estimated time required to complete the application to beneficial use 3 years		
12.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served consumptive use.		
	Carey Act		
	s/ Clarence S. Caesar		
App	plicant		
	By S/ Clarence S. Caesar 3238 Lark Circle		
~	jv/jm Las Vegas, Nevada 89121		
Con	mpared		
	OF STATE ENGINEER		
	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to t		
Ollo	owing limitations and conditions:		
	·		
•			
-	e amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, as		
The	e amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, as		
The			
The	e amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, as		
The ot 1	to exceed		
The ot 1	to exceed		
The not the	to exceed		
The not the Actuary	to exceed		
The ot t	to exceed		
The lot (to exceed		
The lot 1	to exceedcubic feet per second ual construction work shall be filed before rk must be prosecuted with reasonable diligence and be completed on or before of of completion of work shall be filed before		
The not the Notice Noti	to exceedcubic feet per second ual construction work shall be filed before rk must be prosecuted with reasonable diligence and be completed on or before of of completion of work shall be filed before of of completion of work shall be filed before of of completion of work shall be filed before of of completion of work shall be filed before		
The not the Notice Noti	to exceedcubic feet per second ual construction work shall be filed before rk must be prosecuted with reasonable diligence and be completed on or before of of completion of work shall be filed before		
The lot (to exceedcubic feet per second ual construction work shall be filed before rk must be prosecuted with reasonable diligence and be completed on or before of of completion of work shall be filed before of of completion of work shall be filed before of of completion of work shall be filed before of of completion of work shall be filed before		
The not the Actuary of Actuary of App	e amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed		
The not the Actuary of App	e amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed		
The not the Actuary Process App	to exceed		
Acturate Process App Process Map Commerce Process Culture Process App	to exceed		
The not I Actu Process App Process Map Com. Control Control Culture Certific Certific Actu I	c amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed		
The last I last	to exceed		